



*For a
Happy Smile*



Implant Treatment



Dental implants are titanium screws placed into the jawbone to replace missing teeth. These artificial roots are long-lasting and can be used for a lifetime. Fixed or removable prostheses placed on top of the implants restore both chewing function and natural aesthetics for the patient.



Implant Systems We Use



German Implants



Korean Implants



Swiss (Premium) Implants

- German implants are a reliable option thanks to their high-quality standards and excellent bone compatibility. After surgery, fixed temporary teeth can be applied during the healing period.
- Korean implants are proven systems offering high performance and cost advantages. During the healing process, removable temporary prostheses are generally preferred.
- For patients who prefer premium treatment, we use **Swiss Straumann implants**. Straumann is one of the world's leading implant brands, known for advanced surface technology, high success rates and long-lasting durability. It is especially recommended for patients seeking maximum comfort, strength and long-term reliability.

How Is Implant Treatment Performed?



Implant treatment is carried out under local anesthesia for maximum comfort.

Before the procedure:

A detailed examination and X-rays are performed

Measurements of the jaw and remaining teeth are taken

There are two placement options:

Single-stage procedure

The implant is placed and a temporary tooth is attached immediately.

Two-stage procedure

The implant is placed and covered with the gum for healing. The prosthetic tooth is attached later.

In both methods, a temporary bridge may be used. The average healing period is approximately **3 months**.

Dental implants allow patients to smile and eat confidently.



Advantages of Implants

- Improve overall quality of life
- Enable safe eating and speaking without fear of dentures moving
- Securely fixed to suitable jaw structures
- Suitable for anyone in good general health
- No pain during treatment (local anesthesia)
- Mild discomfort after treatment can be controlled with painkillers
- Treatment typically completed within **3-5 months**



What Is a Temporary Tooth?



After implant surgery, a healing period of about **3 months** is required for the implant to integrate with the jawbone (osseointegration).

During this period, a temporary tooth can be placed for aesthetic and comfort purposes.

Temporary tooth:

- Lightweight and functional
- Attached 24 hours after surgery
- Not permanent
- Designed to avoid pressure on the implant

Zirconium Crowns

After full bone integration, the permanent restoration phase begins.

For superior aesthetics, strength, and longevity, **zirconium crowns** are preferred.

Zirconium is:

- Metal-free
- Biocompatible
- Closest in appearance to natural teeth

Benefits:

- Gum-friendly (no discoloration)
- Natural and aesthetic look
- Durable and long-lasting
- Does not cause bad breath or taste changes



Types of Zirconium Crowns

1. Cemented Zirconium

The crown is fixed onto an abutment using special dental cement.

Highly aesthetic

Ideal for front teeth

No screw hole → more natural appearance

Easier application

2. Screw-Retained Zirconium

The crown is fixed directly onto the implant with screws.

Can be easily removed when necessary

Easier cleaning and maintenance

Suitable for back teeth and bridge cases

Reliable for long-term use



Contact Us

Kayhan Can : +90 552 606 87 95

Clinic : +90 544 411 17 07

Instagram : [@oradentclinic](https://www.instagram.com/oradentclinic)